

THE GREEN PAGES

Environmental and Social Responsibility Policy

Many years ago we recognised the importance of good forest management worldwide and the necessity to ensure that future generations can benefit from today's responsible actions. There was a growing public perception that timber trade practices were environmentally unsound and we recognised a need to distinguish our practices from others to assure our customers that our intentions are based on sound policy.

We are now able to demonstrate our commitment to responsible forestry within a documented framework using guidelines set by the Forest Stewardship Council (FSC) 10 principles and criteria.

Our policy has been to promote independent certification which would simplify the process of supplier evaluation. Responsibility for forest policy lies with each sovereign Government and people of forested countries and we believe that we have a responsibility to our customers, suppliers and staff to base our commercial activities on properly managed forests.

The Timber Trade Federation supports the "concept of credible certification" and has stated that "the timber industry has a clear responsibility to ensure that timber supplied derives from well managed forests".

In January 1996 Clarks Wood Company Ltd. joined the WWF 1995 + Group and have subsequently adopted its "Philosophy and Modus Operandi" detailing its members Commitments, Targets and Obligations for the sourcing of well managed forest products.

As members of the WWF-UK Forest and Trade Network, we acknowledge that sustainability and the environment have emerged as key issues in the forest industry and that in due course chain of custody verification, certification and ISO14001 Environmental Management Systems will be inevitable if we are to respond to customer demands to know "where the timber is coming from".

To achieve this we have adopted a continuous process of assessment to ensure that our customers will be able to purchase timber that can be traced to sources whose forest management systems are based on standards which take account of International environmental, ecological, biodiversity, social and economic needs.

Pending wider acceptance of International certification standards and the increased availability of timber which has been independently certified we must decide for ourselves which sources are acceptable. We intend making those decisions based on the information our suppliers provide through completion of our questionnaire. Our prime objective is to then work with our suppliers towards compliance rather than to simply reject a non-compliant.

We have full chain of custody:-

Clarks Wood Co. Ltd - TT-CoC-1022/BMT-PEFC-0093

Y. Goldberg & Sons Ltd -CATG-PEFC-007/SA-CoC-1317

Clarks Wood Company Ltd

Silverthorne Lane,
Bristol. BS2 0QJ.

☎ 0117 971 6316

☎ 0117 972 3119

✉ info@clarkswood.com

🌐 www.clarkswood.com

Y. Goldberg & Sons Ltd

3-5 Waterloo Road,
Uxbridge, Middx. UB8 2QX

☎ 01895 253491

☎ 01895 239696

✉ info@goldberg.uk.com

🌐 www.goldberg.uk.com



Certified Timber Products

Clarks Wood Company Ltd
Y. Goldberg & Sons Ltd

- MDF
- Decorative Panels
- Brazilian Plywood
- Marine Plywood
- OSB
- Chipboard
- Decking
- Hardwood
- Softwood



Hardwood, Softwood, Panel Products
from  Certified Sources.



FSC Decorative Veneered 2 sides MDF

Prod Code Colour	Size
FDOC19001/FSC - Crown Oak	2440 x 1220 x 19mm
FDAS19001/FSC - Euro Ash	2440 x 1220 x 19mm
FDMA19001/FSC - Maple	2440 x 1220 x 19mm
FDWB19001/FSC - White Beech	2440 x 1220 x 19mm
FDSB19001/FSC - Stmd Beech	2440 x 1220 x 19mm
FDCH19001/FSC - Cherry	2440 x 1220 x 19mm
FDCP19001/FSC - Clear Pine	2440 x 1220 x 19mm

FSC Certified BB/CC Plywood WBP

BB/CC Brazilian Gethal Plywood WBP

PBRW04001/FSC - Hardwood	2440 x 1220 x 4mm
PBRW06001/FSC - Hardwood	2440 x 1220 x 6mm
PBRW09001/FSC - Hardwood	2440 x 1220 x 9mm
PBRW12001/FSC - Hardwood	2440 x 1220 x 12mm
PBRW18001/FSC - Hardwood	2440 x 1220 x 18mm
PBRW25001/FSC - Hardwood	2440 x 1220 x 25mm

Eucalyptus throughout Plywood WBP "Certily"

PBRW12001E/FSC	2440 x 1220 x 12mm
PBRW18001E/FSC	2440 x 1220 x 18mm

BB/CC Chinese Hardwood (Elima) Face Softwood core Plywood WBP - Cores-Radiata Pine

PCHW05501/FSC	2440 x 1220 x 5.5mm
PCHW09001/FSC	2440 x 1220 x 9mm
PCHW12001/FSC	2440 x 1220 x 12mm
PCHW18001/FSC	2440 x 1220 x 18mm

FSC Certified STAG Marineply

Now in stock - Louro Vermelho faces (red) / Andiroba cores

PIBM04001/FSC	2440 x 1220 x 4mm
PIBM06001/FSC	2440 x 1220 x 6mm
PIBM09001/FSC	2440 x 1220 x 9mm
PIBM12001/FSC	2440 x 1220 x 12mm
PIBM18001/FSC	2440 x 1220 x 18mm

FSC Certified OSB 2 - Strand Board

COSB08001/FSC	2440 x 1220 x 8mm
COSB11001/FSC	2440 x 1220 x 11mm
COSB18001/FSC	2440 x 1220 x 18mm

FSC Certified Kronospan Superfine Chipboard

CVAL18001/FSC	2440 x 1220 x 18mm
---------------	--------------------

Prices shown are per sheet or as shown plus vat and subject to our terms and conditions of sale. Full details of our Chain of Custody and certification are available on request.

SALES 0117 971 6316 (Bristol)
01895 253491 (Uxbridge)



FSC Certified Massaranduba Garden Decking

Prod Code	Size	PPMtr	300m+
HDEK021145R/FSC Reversible profile	21x145mm	£2.75	£2.35
HDEK028145/FSC Reeded one face	28x145mm	£3.50	£2.95

FSC European Oak

Prod Code	Size
European FSC Certified Hardwood	
HKCO025/FSC Prime	26mm
HKCO032/FSC Prime	33mm
HKCO038/FSC Prime	40mm
HKCO050/FSC Prime	52mm
HKCO065/FSC Prime	65mm
HKCO080/FSC Prime	80mm

FSC Certified Kiln Dried Cedar

No. 1 Common & Better 4" & wider Subject unsold

South American

HABC050/FSC	Cedrela Oderata	2"
HABC063/FSC	Cedrela Oderata	2.5"
HABC075/FSC	Cedrela Oderata	3"

MTCC Certified Meranti

HKLA063/FSC	Malaysian Merantii	1" / 1.5" / 2" / 2.5" / 3"
-------------	--------------------	----------------------------

FSC American Hardwoods

Available to order in Oak, Maple, Soft Maple, Birch, Tulipwood, Ash & Cherry. Mostly in 1", 1 1/2" & 1 3/4" but can go to 2" if required but with a minimum of 3 months notice. Please discuss your project and we shall offer you expert advice & guidance.

FSC European Beech

HKCO025/FSC	Prime and PEFC	1"
HKCO038/FSC	Prime and PEFC	1.5"
HKCO050/FSC	Prime and PEFC	2"

Surcharges apply on hardwood orders less than 10 cu ft (0.3m³) - ask for details.

PEFC Pollmeier Euro Beech



FAX 0117 972 3119 (Bristol)
01895 239696 (Uxbridge)



Unsorted Joinery Softwood

Prod Code	Size
Unsorted Joinery Redwood	
SUJR075225/FSC	75 x 225
SUJR075200/FSC	75 x 200
SUJR075150/FSC	75 x 150
SUJR063200/FSC	63 x 200
SUJR063175/FSC	63 x 175
SUJR063150/FSC	63 x 150
SUJR050250/FSC	50 x 250
SUJR050225/FSC	50 x 225
SUJR050200/FSC	50 x 200
SUJR050175/FSC	50 x 175
SUJR050150/FSC	50 x 150
SUJR050125/FSC	50 x 125
SUJR038225/FSC	38 x 225
SUJR038175/FSC	38 x 200
SUJR038150/FSC	38 x 150
SUJR038100/FSC	38 x 100
SUJR032150/FSC	32 x 150
SUJR025200/FSC	25 x 200
SUJR025175/FSC	25 x 175
SUJR025150/FSC	25 x 150
SUJR025125/FSC	25 x 125

priced per m3

FSC Certified 3 Strip Flooring Snaplock

Prod Code	Description	Size	2	2
2200 x 202 x 14mm - 6 pieces per box (2.666 square metres)				
HFLP0142020/FSC	Oak Classic	2200x202x14mm		

FSC Certified Flooring Underlay

Prod Code	Description	Size
Panels = 7.00 m ² in a pack		
FACC029/FSC	Fibre Panels	1220 x 600 x 5.5mm

Terms and conditions of sale. Full details of our Chain of Custody and certification are available on request.

SALES

0117 971 6316 (Bristol)
01895 253491 (Uxbridge)

FAX




Vth Joinery Softwood

Prod Code	Size
5th Joinery Redwood	
SFTR075150/FSC	75 x 150
SFTR063200/FSC	63 x 200
SFTR050225/FSC	50 x 225
SFTR050200/FSC	50 x 200
SFTR050175/FSC	50 x 175
SFTR050150/FSC	50 x 150
SFTR038225/FSC	38 x 225
SFTR038150/FSC	38 x 150
SFTR025200/FSC	25 x 200
SFTR025175/FSC	25 x 175
SFTR025150/FSC	25 x 150
SFTR025125/FSC	25 x 125

Priced per m3 plus vat and subject to our terms and conditions of sale. Prices are offered based on quantities required.

Full details of our Chain of Custody and certification available on request.

If we are unable to offer your requirement from FSC Certified stock please enquire about our  availabilities.

FSC Massaranduba Decking

Prod Code	Description	Size (Nominal)
HDEK021145/FSC	Profile one face	21 x 145mm
HDEK 028145/FSC	Profile two faces	28 x 145mm

Certified from well managed forests. Prices are per metre run plus vat and subject to our terms and conditions of sale.

Offered subject to availability of certified logs at time of purchase.

SEA DEFENCE TIMBER - speciality products available.

Working with our suppliers in Guatemala we can offer to order the following timber:



Pucte (Bucida bucera)

Which can be cut to dimensions ex 14" x 14" max 18" x 18" to max 18"-20" lengths - Air dried to 18%. Classification = Durable - further details of this and other species is available on request. 3 months notice of requirement is a minimum.

We can offer a variety of speciality FSC certified products, please enquire and let us quote to meet your specification.

0117 972 3119 (Bristol)
01895 239696 (Uxbridge)



MDF - Medite FSC Certified

Prod Code	Size
	Standard Medite
FMED/FSC	2440 x 1220 x 3mm
FMED/FSC	2440 x 1220 x 4mm
FMED/FSC	2440 x 1220 x 6mm
FMED/FSC	2440 x 1220 x 9mm
FMED/FSC	2440 x 1220 x 12mm
FMED/FSC	2440 x 1220 x 15mm
FMED/FSC	2440 x 1220 x 18mm
FMED/FSC	2440 x 1220 x 22mm
FMED/FSC	2440 x 1220 x 25mm
FMED/FSC	2440 x 1220 x 30mm
FMED/FSC	2440 x 1525 x 9mm
FMED/FSC	2745 x 1525 x 12mm
FMED/FSC	2745 x 1525 x 15mm
FMED/FSC	2745 x 1525 x 18mm
FMED/FSC	2745 x 1525 x 25mm
FMED/FSC	3050 x 1220 x 6mm
FMED/FSC	3050 x 1220 x 9mm
FMED/FSC	3050 x 1220 x 12mm
FMED/FSC	3050 x 1220 x 15mm
FMED/FSC	3050 x 1220 x 18mm
FMED/FSC	3050 x 1220 x 22mm
FMED/FSC	3050 x 1220 x 25mm
FMED/FSC	3050 x 1220 x 30mm
FMED/FSC	3050 x 1525 x 12mm
FMED/FSC	3050 x 1525 x 18mm
FMED/FSC	3050 x 1525 x 25mm

Prices are per sheet and delivered if order exceeds £250, subject to our terms and conditions of sale.
Full details of our Chain of Custody and certification are available on request.
CE compliant.

SALES

0117 971 6316 (Bristol)
01895 253491 (Uxbridge)



FSC Certified MR MDF

Prod Code	Size
	Moisture Resistant Medite
FMMR/FSC	2440 x 1220 x 6mm
FMMR/FSC	2440 x 1220 x 9mm
FMMR/FSC	2440 x 1220 x 12mm
FMMR/FSC	2440 x 1220 x 15mm
FMMR/FSC	2440 x 1220 x 18mm
FMMR/FSC	2440 x 1220 x 22mm
FMMR/FSC	2440 x 1220 x 25mm
FMMR/FSC	2440 x 1220 x 30mm
FMMR/FSC	3050 x 1220 x 12mm
FMMR/FSC	3050 x 1220 x 18mm
FMMR/FSC	3050 x 1220 x 25mm

FSC Certified Ecologique MDF

Medite Zero Formaldehyde MDF

FMED18001/FSC	2440 x 1220 x 9/12/15/18mm
---------------	----------------------------

FSC Certified Exterior / FR MDF

Medite Exterior - MDF

FMEX06001	2440 x 1220 x 6mm
FMEX12001	2440 x 1220 x 12mm
FMEX15001	2440 x 1220 x 15mm
FMEX18001	2440 x 1220 x 18mm
FMEX22001	2440 x 1220 x 22mm
FMEX25001	2440 x 1220 x 25mm

Medite Fire Retardant Class 1 Board - MDF - BS476, Part 7

FFRM06001	2440 x 1220 x 6mm
FFRM09001	2440 x 1220 x 9mm
FFRM12001	2440 x 1220 x 12mm
FFRM18001	2440 x 1220 x 18mm
FFRM25001	2440 x 1220 x 25mm

Medite Fire Retardant Class 0 Board - MDF - BS476, Part 6&7

FFRM12001	2440 x 1220 x 12mm
FFRM18001	2440 x 1220 x 18mm

Prices are per sheet and delivered if order exceeds £250, subject to our terms and conditions of sale.
Full details of our Chain of Custody and certification are available on request.
CE compliant.

FAX

0117 972 3119 (Bristol)
01895 239696 (Uxbridge)